

# A VIRTUAL JOURNEY INTO THE COSMOS LOOKING AT THE VERY SMALL AND THE VERY LARGE!

For more information about these kinds of programs please visit the web site at www.lookuptothestars.com

## Daily Observation Log

Observer:	: Date:						
Time:		am pm				min	
Sky:	0 1 2 3 4 5	is (circle one)	Seeing:	0 1 2 3	4 5 (circle o	one)	
Constellati	on(s):						
Planet(s):							
Object(s):							
Phenomena	a:						
Observatio	onal Method:	unaided eye	paper tube	binoculars	telescope	(circle one)	
Drawing:							



## Instructions for Completing Daily Observation Log

**Observer:** Please print your full name

**Date:** Record current month/day/year (i.e. 01/08/2009)

**Time:** Record the time you began the observation and circle AM or PM

**Duration:** Record the total number of minutes you actually made your observation

**Sky:** Circle one number that best represents the sky from clear to completely overcast. 0

= clear; 1 = a few small clouds; 2 = partly cloudy; 3 = sky 50% cloud-covered; 4 =

few breaks in clouds; 5 = completely overcast

**Seeing:** Circle one number that best represents the seeing conditions from excellent to

poor. "Seeing" is a term used by astronomers to describe the steadiness of the atmosphere. One method of determining how steady or unsteady the atmosphere is, due to air currents and temperature changes, is by studying the brighter stars. Bright stars that appear to "twinkle" indicate turbulence in the layers of air in the

atmosphere. Rate the seeing conditions on a scale of 0 for perfectly steady to 5 for

stars that appear to "dance" in the sky.

**Constellation(s):** List any constellation you are able to identify in the night sky.

**Star(s):** Write the name of each brightest star you are able to identify by consulting a star

chart or atlas.

**Planet(s):** Write the name of any planet you identify by referring to current data available

giving its location.

**Object(s):** Record the number and types of objects seen in the sky. Examples include meteors

("falling or shooting stars"), satellites, comets, asteroids, etc.

**Phenomena:** Any form of sky glow, such as aurora or the Milky Way, may be recorded

**Observational Method:** Circle the method of observation used. More than one per observation

period can be utilized.

**Drawing:** Draw the moon phase (amount of sunlit portion) if visible. Also draw in anything

recorded for that day's observation. You should draw in boundary lines separating different parts of the sky and include the direction abbreviated (i.e. SW) for each

accoment

segment.






## THE SUN

. INTERESTING TELESCOPE OBJECT AT 40Y TO 70Y BUT YOU MUST USE A SUN FILTER TO AVOID SERIOUS INJURY TO YOUR EYE. THE SUN SPOTS ARE EASY TO SEE



#### THE MOON

MAGNITUDE -12 WHEN FULL IS 190,000 TIMES BRIGHTER THAN FIRST MAGNITUDE STAR CRATER TYCHO (TIE-CO) IS ON SOUTH SIDE - MOST PHOTOS ARE SHOWN INVERTED



LIKE ALL OF THE PLANETS, VENUS ORBITS AROUND THE SUN AND IS LIGHTED BY THE SUN. ON HER NEAR APPROACHES TO THE EARTH SHE IS BRILLIANT AT -4 MAGNITUDE




#### JUPITER

BIG JUPE IS THE EASIEST PLANET TO SEE -- ALWAYS BRIGHTER THAN -1/2 MAG. HIS FOUR BRIGHTEST MOONS OF MAG. 6 SHUTTLE BACK AND FORTH, CHANGING NIGHTLY




#### SATURN

SATURN IS THE PRETTIEST PLANET. THE RINGS ARE SEEN PLAINLY AT 40× ALTHOUGH INVISIBLE WITH TX BINOCULAR WITH HIGHER POWER YOU MAY BE ABLE TO SEE CASSINI'S DIVISION




RED MARS MAKES A NEAR APPROACH TO THE EARTH EVERY OTHER YEAR, AND AT SUCH TIMES SOME SURFACE DETAIL CAN BE SEEN WITH TELESCOPES AT 200-300x



## CONSTELLATIONS

A CONSTELLATION IS A GROUP OF STARS, USUALLY FORMING SOME KIND OF PATTERN OR "PICTURE." PROPERLY, A CONSTELLATION IS A SPECIFIC AREA OF THE SKY



ONE OUT OF 15 STARS IS A
DOUBLE OR MULTIPLE STAR
AND ABOUT 500 OF THESE
FROM 2 SECONDS TO 1 MINUTE
OF ARC SEPARATION CAN BE SPLIT, WITH SMALL TELESCOPES



BRIGHT FOLIPSING (Beta, LYRA)

VARIABLE STARS

IN BRIGHTNESS, THE CHANGE

TAKES 2 DAYS (AVERAGE), MAKING THE V.S. A POOR

SHOW" OBJECT ALTHOUGH

IDEAL FOR SYSTEMATIC STUDY

VARIABLE STAR VARIES



THREE KINDS OF VARIABLE STARS

0



OPEN CLUSTERS OF STARS ARE A FAVORITE TARGET FOR THE TELESCOPE. 40 TO 60x IS ENOUGH FOR MOST GROUPS. POPULAR PLEIADES CLUSTER IS A FINE BINOCULAR OBJECT




## 12th MAGNITUDE OR FAINTER STARS



### GLOBULAR CLUSTERS

A GLOBULAR CLUSTER IS A BALL OF STARS. INDIVIDUAL STARS ARE FAINT AND NEED 6" OR MORE APERTURE FOR RESOLUTION. MIS AND M22 ARE TWO BRIGHTEST




## PLANETARY NEBULAE

PLANETARY NEBULAE ARE SO NAMED ONLY BECAUSE THEY ARE ROUND LIKE PLANETS. THEY ARE LUMINOUS GAS CLOUDS AND ARE A PART OF OUR GALAXY



## DIFFUSE NEBULAE

A LARGE DIFFUSE GAS CLOUD LIGHTED BY THE STARS IN ITS VICINITY IS KNOWN AS A BRIGHT DIFFUSE NEBULA. M42 IN ORION IS IMPRESSIVE, EASILY SEEN WITH ANY TELESCOPE



## EXTERNAL GALAXIES

GALAXIES ARE COMPLETE STAR SYSTEMS LIKE OUR OUN GALAXY. ALL ARE VERY DISTANT. MAI SHOWN IS ABOUT AS BRIGHT AS A STAR OF 9th MAGNITUDE

No.	TYPE	CONS.	M.	
M44	OPEN CL.	CANCER	3.7	
M41	OPEN CL.	CAN'S MAU.	4.6	
M24	OPEN CL.	SAGR.	4,6	
M31	GALAXY	ANDR.	4.8	
M 35	OPEN CL.	GEMINI	5.3	
MIS	GLOBULAR	HERCULES	5.7	
	GLOBULAR	THE RESERVE OF THE PERSON NAMED IN COLUMN TWO		
MB	DIFFUSE HEB.	SAGR.	-	
M42	DIFFUSE NEB.	ORION	-	
M57	PLANETARY	LYRA	9.3	

## MESSIER OBJECTS

FRENCH ASTRONOMER, CHARLES MESSIER, MADE UP THE FIRST LIST OF SKY OBJECTS OTHER THAN STARS (1784). ALL OF THE 103 M-OBJECTS CAN BE SEEN WITH SMALL TELESCOPES

# Faces on the Moon

Directions: Draw as many figures of people and animals you can find on the view of the Moon below and label them at the numbered list at the bottom of the page.



1.	 		 _
2.			
3.	 		 _
4.			
5.	 		
7.			

# **Constellations**

Directions: Using your pen or pencil, connect the dots (stars) to form the stick figure patterns of the stars making up each constellation.

